





Dump Truck Cylinders



THE CHALLENGE:

Contamination:

Burnishing residue and general shop contamination

Cleaning Expectations:

All internal surfaces: largest particle size 600 micron

Drying Expectations:

No puddling of water

Part Acceptance Method:

Standard gravimetric test and particle analysis

Production:

1 part every 4.5 min.

Loading / Unloading:

Manual loading onto pallets

Preceding / Succeeding Ops:

Burnishing and assembly

Footprint Constraints:

None specified

THE SOLUTION:

Equipment:

Custom Indexing dual strand chain conveyor machine with probes to clean inside of part

Sequence:

Wash/rinse/blow-off

Cleaning Mechansims:

Internal probes and external general spray

Drying Mechansim:

Internal probe blow-off and external blow-off knife

Features:

Part identification system to adjust probe stroke.

Actual Footprint:

36' long X 26' 6" wide

Ransohoff (800) 248-9274 4933 Provident Drive Cincinnati, OH 45246 Blackstone-NEY Ultrasonics (800) 766-6606 P.O. Box 220 9 N. Main St. Jamestown, NY 14702-0220 CTG Asia (86)0512-66161698 56 Songshan Road Suzhou New District Jiangsu Province, China PRC: 215151